	Application No.	Applicant(s)
	10/677,425	SHEARER, ROBERT A.
Notice of Allowability	Examiner	Art Unit
,	Craig E. Walter	2188
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the RCE filed 26 September 2007.		
2. The allowed claim(s) is/are <u>1-19 (original numbering)</u> .		
3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date [b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1)	e been received. e been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER es reason(s) why the oath or declarate st be submitted. son's Patent Drawing Review (PTO	r national stage application from the complying with the requirements R'S AMENDMENT or NOTICE OF ation is deficient. P-948) attached Office action of
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal I	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	/ (PTO-413),
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amend	ment/Comment .
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		ent of Reasons for Allowance
HYUNG S SUPERVISORY FATE	9. Other OUGH NT EXAMINER	Craig E Walter Examiner Art Unit 2188

Application/Control Number: 10/677,425

Art Unit: 2188

Page 2

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Examiner and Applicant's representative agreed upon the following amendment in order to put the Application in condition for allowance:
 - --Please cancel claim 23--
- 3. Authorization for the examiner's amendment was given in a telephone interview with Mr. Gero McClellan on 13 November 2007.

REASONS FOR ALLOWANCE

Allowable Subject Matter

- 4. Claims 1-19 are allowed.
- 5. The following is a statement of reasons for the indication of allowable subject matter:

As for claim 1, neither Muller (US Patent 6,044,418), nor Welch (US Patent 6,735,633 B1), nor Mammen (US PG Publication 2004/0047367A1) teach, either alone or in combination, "[a] logic network writ[ing]/read[ing] data from a plurality of unique data classes into/from the plurality of buffer regions such that each data class is uniquely written into and uniquely read from a different buffer region... and wherein in response the timing signal, the logic

Art Unit: 2188

network: recalls the respective values from the storage registers; whereby the respective value stored in each storage register indicates a number of times that the respective buffer region reaches the predetermined usage level within the timing window; and re-partitions the buffer memory according to the respective value having a highest value such that a more utilized buffer region is assigned more of the addressable memory resisters.

Claim 8 is allowable based on the same rationale as claim 1.

Claims 2-7 and 9-19 are allowable for inheriting the allowable subject matter of claims 1 and 8 respectively.

Conclusion

- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig E. Walter whose telephone number is (571) 272-8154. The examiner can normally be reached on 8:30a 5:00p M-F.
- 7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung S. Sough can be reached on (571) 272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/677,425

Art Unit: 2188

8.

Page 4

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Information regarding the status of an application may be obtained from the

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1/00

Craig E Walter

Examiner

Art Unit 2188

CEW